

Eurofins Miljø A/S
Ladelundvej 85
6600 Vejen
DÅNEMARK

Person in charge Mr. M. Wolter
ASM Mr. M. Wolter

Report date 12.10.2018

Analytical report

AR-18-SF-061201-01



Sample Code

724-2018-00063503

Reference

Rohwasser
Prøvehane DGU 210.654 - Rekvisition
Glas 500 ml Grøn flaske

Sample sender

Eurofins Miljø A/S

Prescriber

Eurofins Miljø A/S

Reception date time

10.10.2018

Transport by

DHL

Client Purchase order nr.

EUDKVE00010422

Purchase order date

09.10.2018

Client sample code

835-2017-80522887

Start analysis

10.10.2018

End analysis

12.10.2018

Analysis	Testcode	Method
pesticide screening in water - LC/MS/MS	SFWD0	Internal Method

Test results

Parameter	Measurement	Unit	Result	LOQ
SFWD0: LC-MS/MS [LC-MS/MS] // LA-LCMS-027-05 (#)				
Screened pesticides	LC-MS/MS [LC-MS/MS]		<LOQ	

LOQ = limit of quantification

MRL = Maximum Residue Level

<LOQ = below limit of quantification

(#) = SOFIA (Berlin) is accredited for this test.

Signature



Team Support (Adel Burow)

Page 2/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAkKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

List of analysed substances:
SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
2,4'-Formoxylidid (Amitraz Metabolite)	0.05	3-Hydroxycarbofuran	0.05
6-Chlor-3-phenylpyridazin-4-ol	0.05	Abamectin	0.05
Acephate	0.05	Acetamiprid	0.05
Acetochlor	0.05	Alachlor	0.05
Aldicarb	0.05	Aldicarb-sulfone	0.05
Aldicarb-sulfoxide	0.05	Ametoctradin	0.05
Ametryn	0.05	Amidosulfuron	0.05
Aminocarb	0.05	Amitraz	0.05
Ancymidol	0.05	Atrazin, desethyl-	0.05
Atrazine	0.05	Azaconazole	0.05
Azamethiphos	0.05	Aziprotryn	0.05
Azoxystrobin	0.05	Benalaxyl	0.05
Bendiocarb	0.05	Benfuracarb	0.05
Benodanil	0.05	Benomyl	0.05
Bensulfuron methyl	0.05	Benthiavalicarb, isopropyl-	0.05
Bitertanol	0.05	Boscalid	0.05
Bromacil	0.05	Bupirimate	0.05
Buprofezin	0.05	Butachlor	0.05
Butocarboxim	0.05	Butocarboxim-sulfoxide	0.05
Butoxycarboxim	0.05	Buturon	0.05
Cadusaphos	0.05	Carbaryl	0.05
Carbendazim	0.05	Carbofuran	0.05
Carbosulfan	0.05	Carboxin	0.05
Chlorantraniliprole	0.05	Chlorbromuron	0.05
Chlorfluazuron	0.05	Chloridazone	0.05
Chlorotoluron	0.05	Chloroxuron	0.05
Chlorpropham	0.05	Chlorsulfuron	0.05
Cinidon-ethyl	0.05	Cinosulfuron	0.05
Clethodim	0.05	Clodinafop-propargyl	0.05
Clofentezine	0.05	Clomazone	0.05
Clothianidin	0.05	Cyanazine	0.05
Cyazofamid	0.05	Cymoxanil	0.05
Cyproconazole	0.05	Cyprodinil	0.05

Page 3/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE15557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE15557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Cyprofuram	0.05	Cyromazine	0.05
Demeton	0.05	Demeton-S-methyl	0.05
Demeton-S-methyl-sulfone	0.05	Desmedipham	0.05
Desmetryn	0.05	Diazinon	0.05
Dichlorvos	0.05	Diclobutrazol	0.05
Diethofencarb	0.05	Diethyltoluamide	0.05
Difenoconazole	0.05	Difenoconazole	0.05
Diflubenzuron	0.05	Diflufenican	0.05
Dimefox	0.05	Dimefuron	0.05
Dimethenamid	0.05	Dimethoate	0.05
Dimethomorph	0.05	Dimetilan	0.05
Dimoxystrobin	0.05	Dinotefuran	0.05
Disulfoton	0.05	Disulfoton-sulfon	0.05
Disulfoton-sulfoxide	0.05	Diuron	0.05
Emamectin (Sum)	0.05	Epoxiconazole	0.05
Ethiofencarb	0.05	Ethiofencarb-sulfone	0.05
Ethiofencarb-sulfoxide	0.05	Ethiprole	0.05
Ethofumesat-2-keto	0.05	Ethofumesate	0.05
Ethoprophos	0.05	Etofenprox	0.05
Etoxadone	0.05	Famoxadone	0.05
Fenamidone	0.05	Fenamiphos	0.05
Fenamiphos-sulfone	0.05	Fenamiphos-sulfoxide	0.05
Fenarimol	0.05	Fenazaquin	0.05
Fenbuconazole	0.05	Fenhexamid	0.05
Fenobucarb	0.05	Fenoxaprop-ethyl	0.05
Fenoxycarb	0.05	Fenpiclonil	0.05
Fenpropidin	0.05	Fenpropimorph	0.05
Fenpyroximate	0.05	Fensulfothion	0.05
Fensulfothion-oxon-sulfone	0.05	Fensulfothion-oxon-sulfoxide	0.05
Fensulfothion-sulfone	0.05	Fenthion	0.05
Fenthion-oxon	0.05	Fenthion-oxon-sulfone	0.05
Fenthion-oxon-sulfoxide	0.05	Fenthion-sulfone	0.05
Fenthion-sulfoxide	0.05	Fenuron	0.05
Flazasulfuron	0.05	Fonicamid	0.05
Florasulam	0.05	Fluazifop-P-butyl	0.05
Fluazuron	0.05	Flucycloxuron	0.05
Fludioxonil	0.05	Flufenacet	0.05
Flufenoxuron	0.05	Fluometuron	0.05

Page 4/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE15557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE15557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Fluopicolid	0.05	Flurochloridone	0.05
Flurprimidol	0.05	Flusilazole	0.05
Flutriafol	0.05	FM-6-1	0.05
Formetanate	0.05	Fosthiazate	0.05
Fuberidazole	0.05	Furathiocarb	0.05
Halofenozide	0.05	Haloxyfop-2-ethoxyethyl	0.05
Haloxyfop-methyl	0.05	Hexaconazole	0.05
Hexaflumuron	0.05	Hexazinone	0.05
Hexythiazox	0.05	Imazalil	0.05
Imibenconazole	0.05	Imidacloprid	0.05
Indoxacarb	0.05	Iodosulfuron methyl	0.05
Iprovalicarb	0.05	Isoprocarb	0.05
Isoprothiolane	0.05	Isoproturon	0.05
Isoxaben	0.05	Isoxaflutole	0.05
Isoxathion	0.05	Lenacil	0.05
Linuron	0.05	Lufenuron	0.05
Malaoxon	0.05	Malathion	0.05
Mandipropamid	0.05	Mepanipyrim	0.05
Metalaxyl	0.05	Metamitron	0.05
Metazachlor	0.05	Metconazole	0.05
Methabenzthiazuron	0.05	Methacriphos	0.05
Methamidophos	0.05	Methidathion	0.05
Methiocarb	0.05	Methiocarb-sulfone	0.05
Methiocarb-sulfoxide	0.05	Methomyl	0.05
Methoprotryne	0.05	Methoxyfenozide	0.05
Metobromuron	0.05	Metolachlor	0.05
Metolcarb	0.05	Metoxuron	0.05
Metrafenone	0.05	Metribuzin	0.05
Metsulfuron-methyl	0.05	Molinatate	0.05
Monocrotophos	0.05	Monolinuron	0.05
Monuron	0.05	Napropamide	0.05
Neburon	0.05	Nicosulfuron	0.05
Novaluron	0.05	Nuarimol	0.05
Ofurace	0.05	Omethoate	0.05
Orbencarb	0.05	Oxadixyl	0.05
Oxamyl	0.05	Oxamyl-oxime	0.05
Oxydemeton-methyl	0.05	Paclobutrazol	0.05
Paraoxon-ethyl	0.05	Paraoxon-methyl	0.05

Page 5/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE15557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE15557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Penconazole	0.05	Pencycuron	0.05
Pendimethalin	0.05	Pentanochlor	0.05
Phenmedipham	0.05	Phorate	0.05
Phorate-sulfone	0.05	Phorate-sulfoxide	0.05
Phosmet	0.05	Phosphamidon	0.05
Phoxim	0.05	Picoxystrobin	0.05
Piperonyl butoxide	0.05	Pirimicarb	0.05
Pirimicarb, desmethyl-	0.05	Pirimicarb, desmethyl-formamido-	0.05
Primisulfuron-methyl	0.05	Prochloraz	0.05
Promecarb	0.05	Prometon	0.05
Prometryn	0.05	Propamocarb	0.05
Propargite	0.05	Propazine	0.05
Propham	0.05	Propiconazole	0.05
Propoxur	0.05	Propoxycarbazone	0.05
Proquinazid	0.05	Prosulfocarb	0.05
Prosulfuron	0.05	Pymetrozine	0.05
Pyraclostrobin	0.05	Pyraflufen-ethyl	0.05
Pyrethrins	5	Pyridate	0.05
Pyrimethanil	0.05	Pyrimidifen	0.05
Pyriproxyfen	0.05	Quizalofop ethyl	0.05
Rabenzazole	0.05	Rimsulfuron	0.05
Rotenone	0.05	Sebuthylazine	0.05
Sethoxydim	0.05	Silafluofen	0.05
Simazine	0.05	Simazine, desethyl-	0.05
Simeconazole	0.05	Spinosad	0.05
Spirodiclofen	0.05	Spiromesifen	0.05
Spirotetramat	0.05	Spiroxamine	0.05
Tebuconazole	0.05	Tebufenozide	0.05
Tebufenpyrad	0.05	Teflubenzuron	0.05
TEPP	0.05	Terbacil	0.05
Terbufos	0.05	Terbufos-sulfone	0.05
Terbufos-sulfoxide	0.05	Terbuthylazine	0.05
Terbuthylazine, desethyl-	0.05	Terbutryn	0.05
Tetraconazole	0.05	Thiabendazole	0.05
Thiabendazole, 5-hydroxy-	0.05	Thiacloprid	0.05
Thiamethoxam	0.05	Thiazafuron	0.05
Thifensulfuron methyl	0.05	Thiocarbazil	0.05
Thiodicarb	0.05	Thiofanox	0.05

Page 6/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE15557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE15557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Thiofanox-sulfone	0.05	Thiofanox-sulfone	0.05
Thiofanox-sulfoxide	0.05	Thiofanox-sulfoxide	0.05
Thiometon	0.05	Thionazin	0.05
Thiophanate (-ethyl)	0.05	Thiophanate-methyl	0.05
Triadimefon	0.05	Triadimenol	0.05
Triamiphos	0.05	Triasulfuron	0.05
Triazamate	0.05	Triazophos	0.05
Tribenuron-methyl	0.05	Trichlorfon	0.05
Tricyclazole	0.05	Tridemorph	0.05
Trietazine	0.05	Trifloxystrobin	0.05
Trifloxysulfuron	0.05	Triflumizole	0.05
Triflumuron	0.05	Triflusulfuron-methyl	0.05
Triforine	0.05	Trimethacarb, 3,4,5-	0.05
Triticonazole	0.05	Uniconazole	0.05
Vamidotion	0.05	Vamidotion-sulfone	0.05
Vamidotion-sulfoxide	0.05	Zoxamide	0.05